



**Markel Southwest Underwriters**  
**8700 E. Northsight Blvd., Suite 200**  
**Scottsdale, AZ 85260**  
**Phone: (800) 243-1782**  
**Fax: (480) 951-9722**



**Warehouse Questionnaire**

To:	Company:	
From:	Date:	
Prospect:		
<input type="checkbox"/> Urgent	<input type="checkbox"/> For Review	<input type="checkbox"/> Please Reply

Please provide the following information for quotation consideration:

What commodities (i.e. fireworks, flammables, explosives, etc.) are stored or distributed, percentage of each, average & maximum values at any one time, and stock turnover time in one year?

Check all applicable:

Any Manufacturing	<input type="checkbox"/> YES	<input type="checkbox"/> NO					
Fully Enclosed Building	<input type="checkbox"/> YES	<input type="checkbox"/> NO					
Located At Or Nearby Any Major Airport	<input type="checkbox"/> YES	<input type="checkbox"/> NO					
Type of packaging/storage material	<input type="checkbox"/> Paper	<input type="checkbox"/> Cardboard	<input type="checkbox"/> Plastic	<input type="checkbox"/> Other			
Storage Arrangement	<input type="checkbox"/> Vertical	<input type="checkbox"/> Horizontal	<input type="checkbox"/> Diagonal	<input type="checkbox"/> Pallet	<input type="checkbox"/> Rack	<input type="checkbox"/> Solid Pile	<input type="checkbox"/> Other

Commodity Transportation To/From:

Forklift	<input type="checkbox"/> YES	<input type="checkbox"/> NO
Crane (Collapse Exposure)	<input type="checkbox"/> YES, Type?	<input type="checkbox"/> NO
Is it Attached?	<input type="checkbox"/> YES, Where?	<input type="checkbox"/> NO
Professionally Installed, serviced, and designed for maximum commodity load?	<input type="checkbox"/> YES	<input type="checkbox"/> NO
Other:		

List all chemicals/flammables, if any, with Flashpoints < than 100 degrees Fahrenheit, days and quantity (gallons/drums) stored. (Please Attach List).

UL Approved Flammable/Chemical Storage Cabinets and/or Containers:  YES  NO

Target Rate:

Date: \_\_/\_\_/\_\_\_\_

Producer Name: \_\_\_\_\_

Applicant Signature: \_\_\_\_\_